

# 1756-TBS6H Allen Bradley module

|                        |                                             |
|------------------------|---------------------------------------------|
| Model                  | 1756-TBS6H                                  |
| Brand                  | Allen Bradley                               |
| Category               | <a href="#">Module</a>                      |
| Product Type           | Removable Terminal Block (RTB) [citation=2] |
| Series                 | Allen-Bradley ControlLogix                  |
| Clamp Type             | Spring Clamp                                |
| Number of Pins         | 36-pin connection                           |
| Backplane Current (5V) | 1200 mA                                     |
| Backplane Current      | 2.5 mA                                      |
| Max. Power Dissipation | 6.19 W                                      |
| Wire Size              | 22-14 AWG                                   |
| Operating Temperature  | 0 to 60 °C                                  |
| Weight                 | 0.3 lbs                                     |
| Dimensions (H x W x D) | 5.51 x 4.41 x 5.71 inches                   |

Note:

Invshop recommends that you inquire with the original factory or its agents about the latest production status and technical information about 1756-TBS6H. The product parameters displayed on Invshop are entered by Invshop engineers according to the specifications, and efforts have been made to minimize errors, but we cannot guarantee the complete correctness of the parameters. Please refer to the specification sheet!



<https://www.invshop.com>



<https://www.invshop.com>





