AT043TN25 V.1 Innolux 4.3" TFT-LCD screen 480*272 Display

Model	AT043TN25 V.1
Brand	Innolux
Category	Chimei Innolux
Diagonal Size	4.3 inch
Resolution	480(RGB)×272
Active Area	95.04(W)×53.856(H) mm
Outline Size	105.5(W)×67.2(H)×3.25(D)
Luminance	500 (Typ.)(cd/m²)
View Direction	6 o\'clock
Viewing Angle	70/70/50/70 (Typ.)(CR?10)
Support Color	262K 50% NTSC
Weight	TBD
Frame Rate	60Hz
Frame Rate Interface Type	60Hz Parallel RGB (1 ch, 6-bit) + SPI , 67 pins FPC
Interface Type	Parallel RGB (1 ch, 6-bit) + SPI , 67 pins FPC
Interface Type Power Supply	Parallel RGB (1 ch, 6-bit) + SPI , 67 pins FPC 1.8/3.3V (Typ.)(DVDD/AVDD)
Interface Type Power Supply Operating Temp	Parallel RGB (1 ch, 6-bit) + SPI , 67 pins FPC 1.8/3.3V (Typ.)(DVDD/AVDD) -20 ~ 70 °C
Interface Type Power Supply Operating Temp Panel Type	Parallel RGB (1 ch, 6-bit) + SPI , 67 pins FPC 1.8/3.3V (Typ.)(DVDD/AVDD) -20 ~ 70 °C a-Si TFT-LCD, LCM
Interface Type Power Supply Operating Temp Panel Type Pixel Format	Parallel RGB (1 ch, 6-bit) + SPI , 67 pins FPC 1.8/3.3V (Typ.)(DVDD/AVDD) -20 ~ 70 °C a-Si TFT-LCD, LCM RGB Vertical Stripe
Interface Type Power Supply Operating Temp Panel Type Pixel Format Bezel Opening	Parallel RGB (1 ch, 6-bit) + SPI , 67 pins FPC 1.8/3.3V (Typ.)(DVDD/AVDD) -20 ~ 70 °C a-Si TFT-LCD, LCM RGB Vertical Stripe 98.7(W)×57.5(H) mm
Interface Type Power Supply Operating Temp Panel Type Pixel Format Bezel Opening Treatment	Parallel RGB (1 ch, 6-bit) + SPI , 67 pins FPC 1.8/3.3V (Typ.)(DVDD/AVDD) -20 ~ 70 °C a-Si TFT-LCD, LCM RGB Vertical Stripe 98.7(W)×57.5(H) mm Antiglare

Lamp Type	9S1P WLED, 20K hours, No Driver
Touch Screen	Without

Note:

Invshop recommends that you inquire with the original factory or its agents about the latest production status and technical information about AT043TN25 V.1. The product parameters displayed on Invshop are entered by Invshop engineers according to the specifications, and efforts have been made to minimize errors, but we cannot guarantee the complete correctness of the parameters. Please refer to the specification sheet!

https://www.invshop.com

https://www.invshop.com



https://www.invshop.com

https://www.invshop.com



https://www.invshop.com