

DVP12SC11T NEW DELTA PLC programmable controller

Model	DVP12SC11T
Brand	DELTA
Category	DELTA PLC
Module Type	Main PLC Unit (DVP-SC Series)
Total I/O Points (Built-in)	12 points
Maximum Expandable I/O	236 points
Program Memory Capacity	8K steps
High-Speed Pulse Output	2 points (Y10, Y11), up to 100kHz each (total bandwidth: 130kHz)
Built-in High-Speed Counters	Multiple groups supporting 1-phase or 2-phase inputs up to 100kHz
Communication Ports	Built-in RS-232 and RS-485 ports, compatible with MODBUS ASCII/RTU protocol
Motion Control Instructions	Supports instructions like DRVA (absolute positioning) and DRVI (relative positioning)
Power Supply	24V DC (20.4V - 28.8V DC)
Operating Temperature	0°C to 55°C
Installation	DIN rail mounting

Note:


Invshop recommends that you inquire with the original factory or its agents about the latest production status and technical information about DVP12SC11T. The product parameters displayed on Invshop are entered by Invshop engineers according to the specifications, and efforts have been made to minimize errors, but we cannot guarantee the complete correctness of the parameters. Please refer to the specification sheet!

<https://www.invshop.com>



<https://www.invshop.com>

<https://www.invshop.com>




<https://www.invshop.com>

<https://www.invshop.com>



<https://www.invshop.com>

<https://www.invshop.com>



<https://www.invshop.com>