

EW32F92FLW LCD PANEL with touch glass

Model	EW32F92FLW with touch
Brand	original
Category	Other Industrial LCD display
Display Technology	TFT-LCD with integrated touch screen
Screen Size (Diagonal)	4.3 inches
Active Display Area	95.0 x 53.9 mm (typical)
Native Resolution	480 x 272 pixels (WVGA)
Touch Technology	Resistive (4-wire/5-wire) or Capacitive (model dependent)
Brightness	250-400 cd/m ² (LED backlight)
Viewing Angle	±70° horizontal, ±60° vertical (CR>10)
Operating Temperature	-20°C to +70°C (display & touch)
Touch Points	Single-touch (resistive) or Multi-touch (capacitive, if supported)
Interface	Display: Parallel RGB or LVDS; Touch: USB, I2C, or serial
Power Supply	+3.3V or +5.0V DC (logic), LED backlight: 3.3V/20-30mA per string

Note:

Invshop recommends that you inquire with the original factory or its agents about the latest production status and technical information about EW32F92FLW with touch. The product parameters displayed on Invshop are entered by Invshop engineers according to the specifications, and efforts have been made to minimize errors, but we cannot guarantee the complete correctness of the parameters. Please refer to the specification sheet!

<https://www.invshop.com>



<https://www.invshop.com>

<https://www.invshop.com>



<https://www.invshop.com>

<https://www.invshop.com>



<https://www.invshop.com>