

used Siemens 6SE7090-0XX84-0AH2 board

Model	6SE7090-0XX84-0AH2
Brand	Siemens
Category	Board
Product Series / Type	SIMOVER MASTERDRIVES / Control Unit (CUVC) or Adapter Module
Product Series / Type	Vector Control
Rated Supply Voltage	80-480V AC, 3-Phase
Rated Output Current	Varies by specific variant (e.g., 322A or 880A in other -0XX84
Motor Power Range	Up to 7.5 kW (for CUVC variants)
Control Modes	Vector control, V/f control
Safety Functions	STO (Safe Torque Off), SS1 (Safe Stop 1), SLS (Safe Limited Speed) (Integrated in CUVC)
Communication Interface	PROFIBUS-DP (Common for this series)
Firmware Version	Varies (e.g., V3.4 in some models)
Dimensions (W x H x D)	Varies by specific variant (e.g., 15.10 x 15.40 x 4.60 mm in some

Note:

Invshop recommends that you inquire with the original factory or its agents about the latest production status and technical information about 6SE7090-0XX84-0AH2. The product parameters displayed on Invshop are entered by Invshop engineers according to the specifications, and efforts have been made to minimize errors, but we cannot guarantee the complete correctness of the parameters. Please refer to the specification sheet!



